

RESOLVER

PERSPECTIVE INSTALLATION GUIDE

Version 5.0

April 2016

Perspective by Resolver Inc.™

Version 5.0

Distributed April 2016

Copyright © 2016 Resolver Inc. and its licensors. All rights reserved.

Resolver, the Resolver logo, Perspective by Resolver, Dispatch by Resolver, the Perspective by Resolver logo, Perspective Focal Point, and the Incident management from every angle logo are trademarks or registered trademarks of Resolver Inc.

Information in this document is subject to change without notice.

Companies, names, and data used in the examples herein are fictitious unless otherwise noted.

Although every precaution has been taken in preparation of this document, Resolver Inc. assumes no responsibility for errors or omissions.

Neither is any liability assumed for damages resulting from the use of the information contained herein.

Permission to modify and distribute this document strictly for the purpose of internal user training is hereby granted, provided that it is made evident the document has been modified, and that all copies contain all proprietary notices set forth in or on the original version.

Resolver Inc. assumes no responsibility for errors or omissions resulting from the modification of this document. Resolver Inc. expressly waives all liability assumed for damages resulting from the modification of the information contained herein. Notwithstanding the permission granted herein, no part of this document may otherwise be reproduced, transmitted, disseminated or distributed, in any form or by any means, electronic or mechanical, for any other purpose, without the express written permission of Resolver Inc.

Microsoft, Windows, Windows Vista, Windows Server, SQL Server, Access, Internet Explorer, Excel, PowerPoint, Outlook, Active Directory, Visual Studio, Visual Basic, the Office logo, .NET logo, and Microsoft Gold Independent Software Vendor (ISV) Partner logo are trademarks or registered trademarks of Microsoft Corporation in the U.S. and other countries.

Wi-Fi is a registered trademark of the Wi-Fi Alliance.

All other products, brands, names, or trademarks mentioned in this document may be trademarks or registered trademarks of their respective owners.

Table of Contents

SYSTEM REQUIREMENTS (AIR & ICM)	1
SYSTEM REQUIREMENTS (SOC & EIM)	2
Standard Install	3
SQL Database Server.....	3
Database Restore (Dispatch Scheduling Service and Service Clustering).....	5
SQL Reporting Services.....	8
Perspective Services (Application Web Server).....	9
Set Up Secure Sockets Layer (SSL) on Internet Information Services (IIS).....	11
Configure Connections Using Service Manager	12
Scheduling Services.....	18
Real Time Service Configuration (DispatchLog)	19
Client Machines	21
Accessing Perspective Desktop Client.....	21
Accessing Perspective Web Portal.....	22
Testing Perspective Implementation	24
Advanced Configurations	26
Set Up Additional Features Using Service Manager.....	27
Configuring HTTP Compression for ClickOnce Packages.....	27
Configuration	30
Client-Side Configuration.....	30
Service Clustering	31
Email Notifications.....	32
Connect to an External SMTP Server	33
Uploading Attachments.....	34
Integration Services URL.....	35
Custom Search Integration	36

Mass Notifications	37
Analysis Expert Tools	38
Quick Find Indexing	39
User-Defined Fields	41
Troubleshooting Tips.....	45
Event Viewer	45
Perspective Server.....	45
Database Server.....	46
Reporting Services Server.....	47
Perspective Client.....	47
Error Messages	49
Contact Information	50
Technical Support.....	50
Resolver	50
Appendix A – Indexable Fields.....	51

SYSTEM REQUIREMENTS (AIR & ICM) Version 5.0

The following requirements are for Perspective™ **AIR** and **ICM** editions operating in a traditional LAN/WAN environment with the Web server component running on a separate Microsoft® IIS box. These specs are for planning purposes only and apply to Perspective™ V.5.0 and Focal Point™ V.1.2. Please contact your Resolver representative for a specific assessment of your needs.

*NOTE: Meeting the **Minimum** system requirements means you can run the application successfully, but it may not provide the best performance. Meeting the **Recommended** requirements will offer a significantly better experience.*

	MINIMUM	RECOMMENDED
CLIENT MACHINE		
Processor Speed	1.5 GHz	2 GHz+
Memory	1 GB	2 GB
Operating System	Windows® Vista SP 3, Windows® 7 SP 1, Windows® 8.1, Windows® 10	
.NET Framework	Version 4.5.2	
Web Browser – Launch Perspective	Internet Explorer® 11 ⁷ , Edge	
Web Browser – Web Portal	Internet Explorer® 11 ⁷ , Edge, Chrome®, Safari® iOS 7, Android® Browser 4.2+	
Third Party Application	Adobe Reader® 9.4.0+ Sun Java® Runtime Environment 7 U71, 8 U25 ¹ , QlikView® Analyzer Plug-in for IE ²	
Mobile iOS App	iOS 7, iOS 8, iOS 9	
WEB SERVER MACHINE³ (ON PREMISE ONLY)		
Available Disk Space⁴	1 GB	1 GB
Processor Speed	2 GHz	2 GHz Dual-Core
Memory	4 GB	4 GB
Operating System	Windows Server® 2012, Windows Server® 2012 R2, IIS® with Secure-Channel configured (HTTPS/SSL)	
.NET Framework	Version 4.5 with HTTP and non-HTTP activation	
C++ Runtime Libraries	C++ 2010 SP1 Runtime Libraries (x64) 10.40219	
QlikView® Server⁵	64-bit Version 11.20 SR1	
DATABASE SERVER MACHINE³ (ON PREMISE ONLY)		
Available Disk Space	2 GB	20 GB+
Processor Speed	3 GHz	64-bit server dual-core or multi-processors
Memory	2 GB	4 GB+
Database Server⁶	SQL Server® 2008 SP4, SQL Server® 2008 R2 SP3, SQL Server® 2012 SP1, SQL Server® 2014	
Reporting Services	SQL Server® 2008, SQL Server® 2012 Reporting Services, SQL Server® 2014 Reporting Services	

1. This requirement only applies if using Visual Analysis.
2. This requirement only applies to Perspective Focal Point.
3. These requirements apply to systems with 5-25 users. For systems with 25+ users, contact your Resolver account manager for more information.
4. Depending on the size of the Perspective database, more disk space may be needed for Focal Point and Workflow.
5. This requirement applies only to Focal Point. A limited QlikView™ Server license is included with Focal Point.
6. Only SQL Server Enterprise Edition is supported for indexing on audit tables.
7. For Windows® Vista SP 3, IE 9 is supported. IE Compatibility View is not supported.

Deployment Note: The Perspective client is deployed as a ClickOnce application, launched from IE. It has a zero client footprint and doesn't require administrative rights to launch.

Network Note: If single sign-on authentication or add from Active Directory is used, Active Directory Services must be enabled on the Perspective Web Server.

Internet Note: Internet connectivity on the Client Machine is required for full functionality.

SYSTEM REQUIREMENTS (SOC & EIM) Version 5.0

The following requirements are for Perspective™ **SOC** and **EIM** editions operating in a traditional LAN/WAN environment with the Web server component running on a separate Microsoft® IIS box. These specs are for planning purposes only and apply to Perspective™ V.5.0, Dispatch, and Focal Point™ V.1.2. Please contact your Resolver representative for a specific assessment of your needs.

*NOTE: Meeting the **Minimum** system requirements means you can run the application successfully, but it may not provide the best performance. Meeting the **Recommended** requirements will offer a significantly better experience.*

	MINIMUM	RECOMMENDED
CLIENT MACHINE		
Processor Speed	2 GHz dual-core	2.5 GHz dual-core
Memory	2 GB	4 GB
Operating System	Windows® Vista SP 3, Windows® 7 SP 1, Windows® 8.1, Windows® 10	
.NET Framework	Version 4.5.2	
Web Browser – Launch Perspective	Internet Explorer® 11 ⁸ , Edge	
Web Browser – Web Portal	Internet Explorer® 11 ⁸ , Edge, Chrome®, Safari® iOS 7, Android® Browser 4.2+	
Third Party Application	Adobe Reader® 9.4.0+ Sun Java® Runtime Environment 7 U71, 8 U25 ¹ , QlikView® Analyzer Plug-in for IE ²	
Mobile iOS App	iOS 7, iOS 8, iOS 9	
Officer Mobile	iOS 8, iOS 9	
WEB SERVER MACHINE³ (ON PREMISE ONLY)		
Available Disk Space⁴	1 GB	1 GB
Processor Speed	2 GHz dual-core	2.5 GHz dual-core
Memory	4 GB	4 GB
Operating System	Windows Server® 2012, Windows Server® 2012 R2 IIS with WebSockets enabled ⁵ and Secure-Channel configured (HTTPS/SSL)	
.NET Framework	Version 4.5 with HTTP and non-HTTP activation	
C++ Runtime Libraries	C++ 2010 SP1 Runtime Libraries (x64) 10.40219	
QlikView™ Server⁶	64-bit Version 11.20 SR1	
DATABASE SERVER MACHINE³ (ON PREMISE ONLY)		
Available Disk Space	2 GB	20+ GB
Processor Speed	2 GHz dual-core	64-bit server dual-core or multi-processors
Memory	2 GB	4+ GB
Database Server⁷	SQL Server® 2008 SP4, SQL Server® 2008 R2 SP3, SQL Server® 2012 SP3, SQL Server® 2014 SP1	
Reporting Services	SQL Server® 2008, SQL Server® 2012 Reporting Services, SQL Server® 2014 Reporting Services	

1. This requirement only applies if using Visual Analysis.
2. This requirement only applies to Perspective Focal Point.
3. These requirements apply to systems with 5-25 users. For systems with 25+ users, contact your Resolver account manager for more information.
4. Depending on the size of the Perspective database, more disk space may be needed for Focal Point and Workflow.
5. Net.TCP binding on port 808 is required only if using DispatchLog.
6. This requirement applies only to Focal Point. A limited QlikView™ Server license is included with Focal Point.
7. Only SQL Server Enterprise Edition is supported for indexing on audit tables.
8. For Windows® Vista SP 3, IE 9 is supported. IE Compatibility View is not supported.

Deployment Note: The Perspective client is deployed as a ClickOnce application, launched from IE. It has a zero client footprint and doesn't require administrative rights to launch.

Network Note: If single sign-on authentication or add from Active Directory is used, Active Directory Services must be enabled on the Perspective Web Server.

Internet Note: Internet connectivity on the Client Machine is required for full functionality.




Standard Install


SQL Database Server

1. Ensure Microsoft SQL Server 2008 Standard SP 4 or better has been installed.
2. Install the Perspective database:
 - a. Launch Microsoft SQL Server Management Studio.
 - b. Right-click databases and select **Restore Database**.
 - c. Under **From Device**, click the **Browse (...)** button and browse to the appropriate database: default, sample, or system.

*Note: Standard backups are found in **Perspective Install > Database Setup > New**. If you're unsure which database to use, contact your Perspective Administrator.*
 - d. Click **OK**.
 - e. Check the **Restore** option.
 - f. Enter a database name in **To Database**, and then click **OK**. The database should now appear in the database list.
3. Create a new SQL user that will be used by Perspective to connect to the SQL Server:
 - a. Launch Microsoft SQL Server Management Studio. In the menu on your left, expand the **Security** node, right-click **Logins**, and select **New Login**.



- b. In the **Login – New** form, under the **General** page, type in the **Login Name** and modify the rest of the options according to your preference.
- c. Open **User Mapping**. Ensure the account has **db_owner** role membership rights, then click **OK**.




Database Restore (Dispatch Scheduling Service and Service Clustering)

*Note: This section applies to users installing Perspective **SOC** and **EIM** editions. If you're installing **AIR** or **ICM**, skip this section.*


Follow these steps below to restore both the **Dispatch Scheduling Service** database and the **Service Clustering** database.

1. Open **SQL Management Studio**.
2. Right-click **Object Explorer** and click **Restore Database**.




3. Navigate to the location of **Dispatching Schedule Service** database backup file.


*Note: Standard backups are found in **Perspective Install > Database Setup > New**. If you're unsure which database to use, contact your Perspective Administrator.*



4. Click **OK** to restore
5. Create a new SQL user that will be used by Perspective to connect to the SQL Server:
 - a. Launch Microsoft SQL Server Management Studio. In the menu on your left, expand the **Security** node, right-click **Logins**, and select **New Login**.



- b. In the **Login – New** form, under the **General** page, type in the **Login Name** and modify the rest of the options according to your preference.
- c. Open **User Mapping**. For both the **Dispatch Scheduling Service** and **Service Clustering** databases, ensure the account has either **db_owner** **OR** **db_datareader** and **db_datawriter** role membership rights, then click **OK**.




SQL Reporting Services

1. Ensure that SQL Server Reporting Services is installed.
2. From the Perspective install directory, copy the **Reports Setup** folder and all subfolders to a temporary directory on the Reporting Services computer.
3. Edit the **PublishServerReports.bat** file in the temporary directory. Before making any changes, save a backup copy of the original **PublishServerReports.bat** file.
 - Edit **databaseServerName** to <Name_of_Database_Server>.
 - Edit **databaseName** to <Name_of_Database>.
 - Edit **databaseUserId** to <sql_User_Account>.
 - Edit **databasePassword** to <sqlUser_Password>.
4. Save changes and run the **PublishServerReports.bat** file to publish reports to the Report Manager. If the file fails to run, see [Troubleshooting Tips](#).


⚠ Windows Server 2008 Warning

If installing on Windows Server 2008, the command contained in the batch file must be run from the Command Prompt as Administrator. **The command must be launched from the directory where the batch file is stored.**

5. Browse to your Reporting Services Web site (e.g., <https://localhost/Reports/>).
 - a. On the Contents tab, click the **Perspective** folder.
 - b. Click **Properties, Security** and **New Role Assignment**, then **Edit Item Security**.





- c. Enter a Windows Service Account for the Perspective application to use when connecting to Reporting Services. Create a new local user, if you do not have one already. Ensure that the password is not set to expire.
- d. Select the **Browser** role and click **OK**.




Perspective Services (Application Web Server)

Completing the following steps will install Perspective Services, Integration Services, Real Time Services, and Web Portal.




 Enable IIS 6 Metabase Compatibility (image is taken from Windows Server 2012).

 Ensure **Internet Information Services (IIS)** is installed and that IIS has **WCF Activation** turned on and, if installing the **SOC** or **EIM** editions of Perspective, ensure the **WebSocket Protocol** is installed (image is taken from Windows Server 2012).




1. From the *Perspective Install > Web Service Setup* directory, run as an administrator **Perspective.Services.exe**. To complete the setup, follow the wizard's guidelines.
 - a. If the User Account Control screen pop-up window appears, click **Yes**.



- b. Wait for the Perspective Service Setup Wizard to start. Click **Next**.
- c. Read the License Agreement. If you accept the terms and conditions, select the appropriate radio button, and click **Next**.

- d. The default install path for the Complete install is C:/inetpub/wwwroot/Perspective5.0. Ensure Complete is selected, and click **Next**.
- e. In the following screen, click **Install** to confirm the installation. Wait while Perspective Services is being installed.
- f. If **Visual C++ 2010 SP1 Runtime Libraries (x64)** is not installed, you will be prompted to install the Runtime Libraries. If already installed, skip to step 2i.



- g. Accept the Terms and Agreements, and click **Install**.
- h. When the installation is complete, click **Finish**.
- i. Perspective Services installation will continue.
- j. Click **Finish** once the installation is complete.

Only check the **Show the Windows Installer log** box if you want to see where the files have been installed.


Set Up Secure Sockets Layer (SSL) on Internet Information Services (IIS)

To set up SSL on IIS, follow the instructions on the [Microsoft IIS](#) website.

Configure Connections Using Service Manager

1. From the *Perspective Install > Web Service Setup* directory, run **Perspective.ServiceManager.exe** as an administrator.
 - a. The Install Wizard screen appears.
 - b. If the User Account Control screen pop-up window appears, click **Yes**.
2. The installation wizard appears. Click **Next** to continue.
 - a. Read the License Agreement. If you accept the terms and conditions, select the appropriate radio button and click **Next**.
 - b. You can change the installation directory, or click **Next** for default file path
 - c. In the following screen, click **Install** to confirm the installation. Wait while Perspective Service Manager is being installed.
 - d. Click **Finish** once the installation is complete.
 - Only check the **Show the Windows Installer log** box if you want to see where the files have been installed.
3. From the Start menu, or desktop, launch **Perspective 5.0 Service Manager** as an Administrator.

*Note: This process may trigger Windows' UAC (User Access Control) security feature. If prompted, click **Yes**.*



If you changed the installation path, you may be prompted to select a Perspective

configuration file. Navigate to the installed location of Perspective Services, select **Perspective_[Your_Business_ID].config** (default location: **C:\inetpub\wwwroot\Perspective5.0\PerspectiveServices**) and open the configuration file.

*Note: If you're using **Perspective On Premise** and your organization's business ID is Default, the configuration file will be saved as **Perspective_Default.config**.*

You'll be prompted for database information.

The screenshot shows a 'Database Connection' dialog box. The 'Connection ID' field contains 'Sample'. The 'SQL Server' dropdown is set to 'ASUAN2/ALLNE2013'. The 'Primary Connection' checkbox is checked. The 'Default Language ID' spinner is set to '0'. Under 'Authentication', 'SQL Authentication' is selected, with 'Username' set to 'Perspective' and a masked password. The 'Databases' dropdown is set to 'Perspective_40_Demo'. 'OK' and 'Cancel' buttons are at the bottom.

4. Enter a new name for **Connection ID**.

Note: The Connection ID cannot contain the word "Default".


5. In the **SQL Server** lookup list, select your SQL Server or type the name of your server in the text box.
6. Leave **Default Language ID** set to **0**, unless instructed otherwise by Resolver.

7. Ensure **SQL Authentication** is selected, and enter the SQL **Username** and **Password** created when installing the database.
8. Select your Perspective database from the **Databases** lookup list.

Note: If you receive an "Unable to connect to the named server" message, you have entered either the wrong SQL server name or credentials.

9. Click **OK** to save and add the primary connection.
10. In the top field, enter your **Company Name**, as listed on the email provided to you with your license keys.
11. Enter the **Master Key** that applies to the Company Name entered. Note, the Master Key is case-sensitive.
12. Click the **Validate** button. The fields below will indicate the number of active licenses, **License Expiry Date**, **Product Level** and specifications of individual **Licensed Modules** (i.e., **Product**, **Number of Users** and **Expiry Date**).

*Note: The **Allow connections to Perspective License Service** box is checked by default. Unchecking this box means a license file must be imported when you click the **Validate** button. If you don't have a license file, contact Technical Support at 1-877-776-2995.*



13. Open the Database component from the menu on the left and double-click your database name, or click the **Edit** button.
14. Open the **Report Service** tab and type the report server URL in the **Report Server URL** box.
15. Enter the name of your **Reports Folder**.
16. Proceed to the Report Service User section below. Enter the **Domain**, **Username** and **Password** that were granted browser rights when setting up the server-side reports.
17. Click the **Test** button. You should receive a prompt telling you the URL is valid. If not, confirm your configuration is correct and try again. Please refer to troubleshooting section for SQL reports if you receive an error and message.
18. Click **OK**.

Database Connection

Perspective | Analysis Expert Connection | Report Service | Authentication Mode

Report Service Host

Report Server URL
http://myserver/reportserver Test...

Reports Folder
Perspective

Report Service User

Domain
User_Domain_Name

Username
User_Login_Name

Password
●●●●●●●●●●●●

OK Cancel

19. Select the **Configuration** component from the Perspective Service Manager menu.
20. To encrypt the Perspective_Default.config file, check the **Encrypt Configuration?** box.
21. Open the **Client-Side Configuration** tab.
22. Enter the **Download URL for Client-Side Reports**, if needed, for the client reports configuration files to update automatically (i.e., `https://<servername>name>/perspectiveservices/client`).

Configuration Client-Side Configuration Notification Attachments Services AE Tools

Client Reports Configuration

Download URL for Client-Side Reports:
http://localhost/perspectiveservices/client/

Location of updated client-side reports:
Browse

Reports Exists On Server:

Client-Side Reports Versi...
4.0.1126

Update Reports To Server

Save Cancel

23. Click **Save**.

Note: If you do not click Save, you will be prompted to Save all changes that have been made.

24. Close the Service Manager by clicking the **Cancel** button, or clicking the **X** button on the caption bar.
25. Restart IIS.




Advanced Configurations Warning

Additional options in the Service Manager are not covered in this step-by-step Standard Install walkthrough. For the list of supported advanced setup configuration options, please, refer to the [Advanced Configurations](#) section. It's recommended that all setups follow the standard setup procedures outlined in this section as an initial starting point. Advanced features can be configured as needed after the standard configuration has been verified to run correctly.

Scheduling Services

Note: The following changes apply only to users installing the **SOC** and **EIM** editions of Perspective. If you're installing the **AIR** and **ICM** editions, skip this section.

1. Navigate to install location of the scheduling service. If you completed a default installation of Perspective Services, it's located at **C:\Program Files\Resolver Inc\Perspective\5.0\Dispatch Scheduling Service**. If you completed a custom installation, this location is the path that was specified in the InstallShield Wizard.



2. Open the **Connections.xml** file.
3. Enter the service folder information to show the Integration Services virtual directory (i.e. **<servername>/integrationservices**).


Note: If **Scheduling Services** and **Integration Services** are installed on the same machine, the Service Folder element(s) in the **Connections.xml** file must contain either an IPv4 address or the localhost alias.

4. Save your changes to the **Connections.xml** file then close.
5. Open the **SchedulingServices.exe.config** file.

- Under **appSettings**, enter the database connection string to point to the Scheduling Service database. For example:

```
<add key="DataBaseConnectionString" value="Data
Source=<dbserver\dbinstance>;Initial Catalog=<dbname>;user
id=<user>;password=<password>;Application Name=Integration Services" />
```

- Save your changes to the **SchedulingServices.exe.config** file then close.
- Open **Windows Services**.
- Click on **Dispatching Schedule Service**.




- Click the ▶ icon or right-click **Dispatching Schedule Service** then click **Start**.

Real Time Service Configuration (DispatchLog)

The **SOC** and **EIM** editions of Perspective contain the **DispatchLog** component and will need additional configuration to Real Time Services.

- Navigate to your **IIS Settings**.
- Expand **Site** and expand **Default Web Site**.
- Right-click **PerspectiveRealTime** then **Manage Application > Advanced Settings**.

4. In **Advanced Settings**, add **http,net.tcp** in **Enabled Protocols**. Click **OK**.
 - Port 808 is used by default.



5. Go to the **inetpub/wwwroot/Perspective5.0/PerspectiveServices** directory and edit the **Perspective Default Config** file. To do this, find the Perspective Real Time URL, and replace the localhost with a fully qualified server name.

Note: Additional exceptions for Windows and network firewall may be required.

Client Machines

Accessing Perspective Desktop Client

1. Ensure Microsoft .NET 4.5.2 Framework is installed on the client machine.
2. Browse to the Perspective Services URL:
 - <https://<servername>/PerspectiveServices> <servername> refers to the Perspective Web server installed in the previous section.
- a. Click the **Perspective** icon.



- b. Click **Run**.
- c. If you're using the **MSI Package installer**, follow the procedures below.
 - i. Browse to the Perspective Services URL:

<https://<servername>/PerspectiveServices/?opt=0>

If you're using **?opt=1**, only the ClickOnce installer will be displayed.

If you're using **?opt=0** or if Java Script is disabled or the Web Service is not a trusted site, both the ClickOnce and MSI Package installer will be displayed.

- ii. Download the **MSI Package** and follow the on-screen instructions. If you experience any problems during the download of the MSI Package or the installation of the MSI client, call Technical Support at 1-877-776-2995 for assistance.

*Note: Following the configuration of the Web Server, please ensure application initialization has taken place so that end users do not experience delays with initial page loading. After any IIS reset or configuration, navigate to **https://<servername>/IntegrationServices/service.svc** to begin the application initialization.*

3. After Perspective downloads and installs, you might be prompted to enter a URL. The URL should be automatically populated. If so, move to the next step. If not, enter your Perspective Services URL as before: **https://<servername>/PerspectiveServices**. <servername> refers to the Perspective Web server installed during the installation of Perspective.

Now you should be able to test the default Perspective logon. From this point onward, users must navigate to the Perspective Services URL to launch the Perspective application.

Perspective Default Logon

User Name: Admin

Password: Security

To create a shortcut to the application on the client machine's desktop, proceed as follows:

1. Navigate to the **Perspective Services URL**.
2. Right-click the **Launch Perspective** button and select **Copy Shortcut**.
3. Right-click the client desktop and select **Paste Shortcut**.



Default Admin Master vs. Users with Administrator Rights

As of Perspective Version 3.3, there are differences between the default Admin Master account and a Perspective User with Administrator rights. Specifically, the Admin Master has select features available that other Users, even with Administrator rights, do not.

However, the default Admin Master **can only access the Administration and Dashboard panels of Perspective**. Other components are unavailable to the Admin Master; this account cannot be used for data entry.

Accessing Perspective Web Portal

Please refer to the Section titled, Integration Services for more information. Users can't access Portal until an administrator has set up workgroups within Perspective that allow imports. Once the workgroups are set up, the Web Portal can be configured.

To configure your Web Portal:

1. Open an Internet browser (either Google Chrome v29 or greater, or Internet Explorer 11 or greater).
2. Click **Portal** on the launch page or navigate to your Portal Services URL:
https://<servername>/PerspectivePortal. <servername> refers to the web server installed during the installation of Portal.
3. Administrators will be required to log in to set up the Web Portal. Refer to the *Perspective Web Portal User Guide* for additional information.


Testing Perspective Implementation

Once you have completed the steps outlined on the previous sections, please go through the following steps to ensure that all Perspective's components have been set up properly.

*Note: Following the configuration of the Web Server, please ensure application initialization has taken place so that end users do not experience delays with initial page loading. After any IIS reset or configuration, navigate to **https://<servername>/IntegrationServices/service.svc** to begin the application initialization.*

1. Go to the Perspective Services URL and confirm that the page loads properly:
https://<localhost>/perspectiveservices, where **<localhost>** is the appropriate local host address on your network.
2. Go to the Perspective Services page and confirm that the page loads properly:
https://<localhost>/perspectiveservices/service.asmx, where **<localhost>** is the appropriate local host address on your network.
3. Go to the Report Manager page and confirm that the page loads properly:
http://<reportservername>/reports, where **<reportservername>** is the appropriate address for the reports server on your network.

*Note: If your Report Manager page does not display correctly, run the **PublishServerReports.bat** file included in the **Perspective Install > Reports Setup** folder.*



4. Log on to the Perspective client—preferably not on the server itself—using your Perspective administrator user name and password.
5. Once you have logged on successfully, click on the **Reports** button in the Navigation pane (on the left-hand side of the screen) and confirm that all reports are listed. The easiest way to confirm that the client-side reports are working is to verify that there are reports listed under the **Detail Reports** heading, such as the Incident, Person and Vehicle Reports.
6. To also confirm you are connected to the correct database, run the **Workgroup List** report and verify the workgroups listed.
7. To confirm that the server-side reports are working, try running the **Test Report** under the **<Administrative Only>** node listed. If you receive an error message, see the

[Troubleshooting Perspective & SQL Reporting Services](#) article on the Resolver Support site for more information.

Note: Both the Report version and database version should display as 5.0.

Advanced Configurations

Perspective offers your organization a number of advanced configuration options. Before attempting to implement any of the following options, we recommend that you complete the standard installation first, then, contact Technical Support at 1-877-776-2995 or support@resolver.com for further instructions.

SSL on Your Web Service	To secure and encrypt data sent to and from the Web service to client machines.
Windows Authentication	To allow users to log on to Perspective and to connect to SQL service using their Windows authenticated account
IIS Compression	To compress information sent from Web services to the client. (Recommended for installs with remote users who are not connected directly to the network. If all users are internal, compressing data may take longer than sending uncompressed data over a high-speed network.)
Transparent Data Encryption (SQL 2008)	For encrypting data at rest (for use with Microsoft SQL Server 2008 Enterprise Edition only).
Setting up Sample/Training Database	Default setup supports one database only. If additional databases are required, these can be set up with assistance from Technical Support.
AE Mirroring	For sites with high volumes of data that require SQL intensive searches to be executed against a separate SQL server.
Custom Pagination	By default, the pagination feature is set to 100 records per page. This number can be modified (to any value from 20 to 1000 records per page) by manually editing the <PaginationPageSize> 100</PaginationPageSize> tag in the Perspective_Default.config file.
Custom Legal Notice and Privacy Statement	To customize Perspective’s legal notice and/or privacy statement for your organization, navigate to the Legal folder in the Perspective Services Virtual Directory, open the LegalNotice.mht or PrivacyStatement.mht file in an HTML editor (such as Microsoft Word), apply your edits, and save the file as an MHTML document with the original file name.

<p>Change Default Install Location</p>	<p>To change the default installation location, select Custom from the Setup Type screen (when installing Perspective Services). Click Next. Select a feature and click the Change button. Then, pick the new install location. Click Ok.</p>
<p>Change Caching Options of Portal</p>	<p>The caching duration is set by default to 20 minutes. However, this can be changed by accessing the web config file of Perspective Portal. The duration is in minutes, and can be between 1-1400 minutes.</p> <p><i>Note: Caching should always be enabled, unless you are troubleshooting. Disable it by setting caching=false.</i></p>
<p>Directing to Fully Qualified Servers for Portal</p>	<p>Go to C:/inetpub/wwwroot/Perspective5.0/PerspectivePortal and edit the web config file. Find the external web address and update it to a fully qualified server.</p>

Set Up Additional Features Using Service Manager

Perspective Service Manager is an external application available only on the Web server hosting Perspective services. It is used to manage configuration files, databases, licenses and keys, as well as to set up a number of important features in Perspective (i.e., email and mass notifications, attachments, Quick Find indexing, user-defined fields, Custom Search integration and Integration Services URL).


To access Perspective Service Manager, go to **C:\Program Files\Resolver Inc Inc\Perspective\5.0\ServiceManager > Perspective.ServerManager** or open it from the Startup menu.

Remember to complete each editing action in Perspective Service Manager by clicking **Save Changes**. To implement your settings in Perspective, restart **Internet Information Services (IIS)** (and the Perspective Web server). Note that restarting IIS will affect anyone currently logged on to Perspective. Ensure that all users have saved their work and exited the program prior to completing this step.


Configuring HTTP Compression for ClickOnce Packages

Configuration: Windows Server 2012R2

1. Verify that **Static** and **Dynamic Content Compression** Roles are enabled (done through server manager).



2. In IIS Manager, click on your server.
3. Under IIS, click **Compression**.
4. Verify the **Enable dynamic content compression** and **Enable static content compression** checkboxes are selected.



5. In IIS Manager, click on your server.
6. Under IIS, click **MIME Types**. Here you can see all file extensions and their associated MIME Types. The basic MIME Types for ClickOnce deployment are:


```
.application -> application/x-ms-application
.manifest -> application/x-ms-manifest
.deploy -> application/octet-stream
```

- For the above MIME Types to be compressed, you need to edit the **applicationhost.config** file which can be found in the **%windir%\system32\inetsrv\config** folder.
- Open this file. Under the http compression tag and under **dynamic types** and **static types**, add:

```
<add mimeType="application/octet-stream" enabled="true" />
```

```
<add mimeType="application/x-ms-application" enabled="true" />
```

```
<add mimeType="application/x-ms-manifest" enabled="true" />
```

```
<httpCompression directory="%SystemDrive%\inetpub\temp\IIS Temporary Compressed Files">
  <scheme name="gzip" dll="%Windir%\system32\inetsrv\gzip.dll" />
  <staticTypes>
    <add mimeType="text/*" enabled="true" />
    <add mimeType="message/*" enabled="true" />
    <add mimeType="application/javascript" enabled="true" />
    <add mimeType="application/atom+xml" enabled="true" />
    <add mimeType="application/xaml+xml" enabled="true" />
    <add mimeType="application/octet-stream" enabled="true" />
    <add mimeType="application/x-ms-application" enabled="true" />
    <add mimeType="application/x-ms-manifest" enabled="true" />
    <add mimeType="*/*" enabled="false" />
  </staticTypes>
  <dynamicTypes>
    <add mimeType="text/*" enabled="true" />
    <add mimeType="message/*" enabled="true" />
    <add mimeType="application/x-javascript" enabled="true" />
    <add mimeType="application/javascript" enabled="true" />
    <add mimeType="application/octet-stream" enabled="true" />
    <add mimeType="application/x-ms-application" enabled="true" />
    <add mimeType="application/x-ms-manifest" enabled="true" />
    <add mimeType="*/*" enabled="false" />
  </dynamicTypes>
</httpCompression>
```

- Run Command prompt as an Administrator and execute this command. This command will cache every file instantly:


```
%windir%\system32\inetsrv\appcmd.exe set config -  
section:system.webServer/serverRuntime -frequentHitThreshold:1
```

- Reset IIS.

Configuration

Select the **Configuration** component from the Perspective Service Manager menu and open the **Configuration** tab. Click **Browse** to navigate to the **Location of Server Configuration File**.

Note: This option would be used when Perspective Services has been installed in a different location than the default option.



Client-Side Configuration

1. Select the **Configuration** component from the Perspective Service Manager menu and open the **Client-Side Configuration** tab.
2. To update the configuration with a .zip file provided by the Technical Support, click **Browse** to navigate to the **Location of Updated Client-Side Reports**. The field below will indicate the **Version** of the client-side reports.
3. Click **Update Reports to Server** to complete the update.

Note: This option would be used if a newer version of client-side reports is available.

Service Clustering

*Note: These configurations apply only to users installing the **SOC** and **EIM** editions of Perspective. If you're installing **AIR** or **ICM**, skip this section.*

The following are optional advanced configurations available to users employing the Dispatch application. In order to complete these advanced configurations, the service cluster database must first be restored on the database server (see [Database Restore](#) for more information). Additionally, Perspective Services, including Integration Services, must be deployed on the web servers.

1. Navigate to the install directory of **Integration Services**. By default, the directory is located at **C:\inetpub\wwwroot\Perspective5.0\IntegrationServices**.
2. Open the **web.config** file.
3. Under **appSettings**, make changes as needed to the following settings for deployed web server:
 - **PerspectiveConfigFilePath**: The physical path where Perspective Services is deployed.
 - **ServiceClusters**: Enter **true** or **false** to enable or disable service clustering for Dispatch.
 - **ClusterServiceURL**: The **Integration Services** URL (**DispatchSystem** service) of the node within the cluster. This URL must be accessible by other nodes within the cluster in order for service clustering to work.

- If the **ServiceClusters** value is set to **true**, the database connection must be added to point to the service clustering database. For example:

```
<add name="Perspective.IntegrationService.Properties.Settings.SystemDatabase"
connectionString="Data Source= <dbserver\dbinstance>;Initial
Catalog= <dbname>;user id= <user>;password= <password>;Application
Name=Integration Services" />
```

Note: Avoid making changes to other cluster-related app settings, including:

- **ClusterDatabaseLockTimeoutMilliseconds**
- **ClusterRegistrationHeartbeatIntervalMilliseconds**
- **ClusterRegistrationTimeoutMilliseconds**
- **InitialMasterCacheTimeOutMilliseconds**
- **PeerHeartbeatIntervalMilliseconds**
- **PeerReceiveBufferSize**

Any inconsistencies on these values between two nodes within the cluster may cause issues with service clustering.

- Save your changes in the **web.config** file then close.

Email Notifications

In Perspective, users may send email notifications containing incident or case details or report attachments through **Simple Mail Transfer Protocol (SMTP)**. Otherwise, email notifications may be sent when new investigators are assigned to an investigation or when assignments are created, modified, or completed.

*Note: The Case and Investigation components are only available in the **EIM** and **ICM** editions of Perspective.*


To set up email notification options, select the **Configuration** component in the Perspective Service Manager menu and open the **Notification** tab. Alternatively, the email function can be disabled by selecting the **Do not use mail options** radio button.

Connect to an External SMTP Server

To use an SMTP server to send emails from Perspective, select the **SMTP** radio button and enter the appropriate information for connecting to the SMTP server:

- **Host:** The domain name of the SMTP service.
- **Port:** The port the SMTP service will be listening on for connections.
- **Username:** A valid username to connect to the SMTP service.
- **Password:** The appropriate password for the username.
- **Enable SSL:** Select this option to encrypt the SMTP connection with Secure Socket Layer (SSL).
- **Reply Address:** By default, the SMTP service will include the address entered in this field when sending emails, unless the Person who is currently logged in has an email address saved on their record.
- **Force all emails from this address:** Selecting this checkbox will force **all** emails sent from Perspective to use the **Reply Address** as a return email address, even if the currently logged in Person has a primary email address saved on their record.

The email settings outlined above will be used as system defaults for every client.



Uploading Attachments


Perspective allows users to attach any file type to any data record in the application. These files are stored directly in the SQL database. Attachment size is the greatest factor in determining how much space will be required in SQL.

To set up the maximum attachment size, select the **Configuration** component in the Perspective Service Manager menu and open the **Attachments** tab.

Perspective can support files up to 2 GB in size (SQL's limit for binary data types); however, due to restrictions you may have on the space available for your Perspective database or bandwidth in your network, we do include an option to decrease this 2-GB limit to a size that can be better supported in your environment.

- On SQL Standard or Enterprise, this value can be set between 1 MB and 2000 MB. The default is set to 250 MB.
- On SQL Express, this value can be set between 1 MB and 50 MB. The default is 10 MB.

To change this value to an appropriate value for your organization, move the slider.



Configuration Client-Side Configuration Notification **Attachments** Services AE Tools

Specify maximum allowed attachment size for the client.


Max attachment size: **250 MB**

(Upper limit is 2GB for SQL Server 2005/2008 and 50MB for SQL Express)

Save Changes Exit

Integration Services URL

11. To enable event trigger in Integration Services, select the **Configuration** component from the Perspective Service Manager menu and open the **Services** tab.
12. Enter the URL set up with the Integration Services in the **Integration Services** field.
13. To enable trigger events on create and update, check the **Enable Trigger Notification** box. To enable context-sensitive events, check the **Allow Hot Key Events** box.




The screenshot shows a web-based configuration interface with a top navigation bar containing tabs: Configuration, Client-Side Configuration, Notification, Attachments, Services, and AE Tools. The 'Services' tab is active. Below the tabs, there is a section titled 'Integration Services' with a text input field containing the URL 'https://staging.ppm2000.com/IntegrationServices30'. Below the input field are three checkboxes: 'Enable Trigger Notification', 'Allow Hot Key Events', and 'Enable Custom Search (with Infoglide)'. The 'Enable Custom Search (with Infoglide)' checkbox is checked. At the bottom right of the configuration area are two buttons: 'Save Changes' and 'Exit'.

Custom Search Integration

With Perspective's Custom Search feature, you can integrate Perspective with Infoglide Identity Resolution Engine™ (IRE) to search several data sources at once. Complete the following steps to enable this integration. Note that you must first configure your Perspective database within the Identity Resolution Engine before proceeding.

To set up the Custom Search feature, select the **Configuration** component from the Perspective Service Manager menu and open the **Services** tab. Check the **Enable Custom Search (with Infoglide)** box and enter the URL for the Infoglide Identity Resolution Engine in the field below.

Note: To access the Custom Search feature, users must be granted the appropriate access rights in Perspective. For details on administering Custom Search access for roles and users, see "Select general role rights" and "Set general user rights" in the "Roles" and "Users" sections of the Perspective Administrator's Guide.



The screenshot shows a configuration window with several tabs: Configuration, Client-Side Configuration, Notification, Attachments, Services, and AE Tools. The 'Services' tab is selected. The 'Integration Services' section contains a text field with the URL 'https://Staging.ppm200.com/IntegrationServices'. Below this are three checkboxes: 'Enable Trigger Notification' (unchecked), 'Allow Hot Key Events' (unchecked), and 'Enable Custom Search (with Infoglide)*' (checked). A second text field contains the URL 'http://www.sampleurl.com'. At the bottom right, there are 'Save Changes' and 'Exit' buttons.

Mass Notifications

In Perspective, users can integrate their MIR3SM inEnterpriseTM solution into Perspective in order to send mass notifications about selected activities via Perspective DispatchLog.

To set up the Mass Notification feature, select the **Configuration** component from the Perspective Service Manager menu and open the **Services** tab. Check the **Enable Mass Notification (with MIR3)** box and enter the **Mass Notification URL**, **Username** and **Password** provided by MIR3 in the field below.

Configuration Client-Side Configuration Notification Attachments **Services** AE Tools

Integration Services
https://Staging.ppm2000.com/IntegrationServices30

Enable Trigger Notification Allow Hot Key Events

Enable Custom Search (with Infoglide)*

Enable Mass Notification (with MIR3)
Mass Notification Uri
http://inwebservices.mir3.com/services/v1.2/mir3

Username: QATest
Password: ●●●●●●

* Custom Search should not be enabled unless integrating an external search tool from Infoglide to search several data sources at once.

Save Changes Exit

Analysis Expert Tools

If you experience difficulties with the correct Analysis Expert (AE) query display, this function must be used to update the AE **.dat file** provided by Technical Support.

1. Select the **Configuration** component from the Perspective Service Manager menu and open the **AE Tools** tab.
2. Specify the **SQL Server**.
3. Select either the **Windows** or **SQL Authentication**. If you selected SQL Authentication, enter the correct **Username** and **Password**.
4. Choose the **Database** you wish to update your queries on.
5. Specify the correct path to the AE .dat file provided by Technical Support in the **File Location** field.
6. Click **Update**.

Quick Find Indexing


With Perspective's Quick Find tool, you can quickly search for text anywhere in the database, including text within attachments. This works by scanning an index file generated on the server.

1. To set up indexing on your database, select the **Quick Find Indexing** component in the Perspective Service Manager menu.
2. To enable this feature, select **Allow Quick Find**.
3. Select an **Index Directory** to store the index files. The name of the index directory must end with your organization's business ID name (e.g. C:\Temp\[BusinessIDName]) and IIS must have access to read this directory.

*Note: If you're using **Perspective On Premise** and your organization's business ID is Default, the index entry will end in Default (e.g. C:\Temp\Default).*

4. *Optional:* You can expect the Index file to be approximately 1/3 of your database size. If storage on the local drive would be problematic, you can force the index cache to use a separate directory by checking **Specify folder in alternate drive to store cache while indexing?** and then selecting a directory.
5. *Optional:* If you would like certain common words to be ignored when indexing (e.g., a, the, an, at, to, etc.), select **Use noise word file?** and specify the directory where your Noise.dat file exists. Perspective does not provide a Noise.dat file.

6. *Optional:* If you would like hyphenated words to be indexed as two separate words, you can select **Treat hyphens as spaces**.
7. *Optional:* If you would like the index files to ignore any numeric text, you can select **Do not index numeric values**.
8. Expand the nodes listed under **Tables** and select each table you want data to be indexed from individually. Note that attachments are indexed separately from the main entities and can be found at the bottom of the list.
9. Click **Save**.



10. As data is added, deleted, or modified in the database, the index must be kept up-to-date.

You can perform full indexing or incremental indexing on a database by using the Perspective.Indexer.exe program. To do this, open a Windows command prompt and navigate to the Perspective Service Manager directory as follows:

```
cd "C:\Program Files\Resolver Inc\Perspective\5.0\ServiceManager"
```

11. To perform full indexing on the default database, enter the following command:

```
Perspective.Indexer.exe  
/c="C:\[PerspectiveServicesPath]\Perspective5.0\PerspectiveServices\Perspective_Default.config"
```

12. To perform full indexing on a specific database, add the /d switch to the command:

```
Perspective.Indexer.exe  
/c="C:\[PerspectiveServicesPath]\Perspective5.0\PerspectiveServices\Perspective_Default.config" /d="database name"
```

13. To perform incremental indexing on the default database, add the /i switch to the command:

```
Perspective.Indexer.exe  
/c="C:\[PerspectiveServicesPath]\Perspective5.0\PerspectiveServices\Perspective_Default.config" /i
```

14. To perform incremental indexing on a specific database, use the /d and /i switches:

```
Perspective.Indexer.exe  
/c="C:\[PerspectiveServicesPath]\Perspective5.0\PerspectiveServices\Perspective_Default.config" /d="database name" /i
```

15. Repeat steps 10-15 for every database you want to index.

16. There are other switches available when using Perspective.Indexer.exe. To view all of the switches and their functions, enter the command `Perspective.Indexer.exe ?`

User-Defined Fields

Although user defined fields (UDFs) can only be created by specialized users with access to both the server machine and the Service Manager, they are maintained by Administrators in the same manner as all other fields within Perspective. Visibility and access rights to a user defined field can be controlled under System Privileges, Role Privileges or User Privileges. UDF labels can be modified and created for other languages under Form Labels. Moreover, if the UDF is a lookup field, lookup values and workgroup visibility for these values can be customized under Lookups.

You may add user defined fields to the Item, Person, Organization and Vehicle forms under the General tab, as well as to numerous sections of the Incident and Case forms.

Note: The case component is only available in the Premium Edition of Perspective.

1. To set up user defined fields for Perspective, select the **User Defined Fields** banner at the bottom of the Perspective Service Manager menu and open the **General** tab.

2. From the **Form** lookup list, select the data form in which you would like the new user defined field to appear. Your options are as follows:
 - Incidents
 - Incident Items (Involved Items)
 - Incident Organizations (Involved Organizations)
 - Incident > Persons (Involved Persons)
 - Incident > Vehicles (Involved Vehicles)
 - Items
 - Organizations
 - Persons
 - Vehicles
 - Cases
 - Activities


3. From the **Section** lookup list, select the specific section of the form that you would like the user defined field to appear in. For all forms except Incidents and Cases, the only option available is the General tab. For the Incidents form, you may choose the General, Investigations (Details) or Controls tab. For the Cases form, you may choose either the General or Controls tab.

*Note: The Investigations tab is only available in the **ICM** and **EIM** versions of Perspective.*


4. Click the **Add** button at the bottom of the window. An Add UDF dialog box will open.

5. Enter the new user defined field's name in the **Field Name** text box. Note that no special characters or spaces may be used—letters only. Then, assign the field its default System English **Label**. The System English label is what users will see on the Perspective form.

6. Choose the field type from the **Data Type** lookup list. The available field type options for UDFs are Number (for whole numbers), Decimal Number (for numbers with up to two decimal places), Text, Date, Yes/No (for a checkbox field) and Lookup List. If you selected Text as the data type, you may also specify the maximum number of characters that can be entered in the field under Text Length.




7. Click **Apply**. The user defined field’s details will now appear under the General tab.



- To edit the user defined field, click the arrow to the left of the Field Name to select the entire row and click the **Edit** button. Make changes in the Edit UDF dialog box and click Apply.
- To delete the user defined field, click the arrow to the left of the Field Name to select the entire row and click the **Delete** button. A Delete UDF confirmation window will open warning you of potential loss of data. If you choose to delete the selected UDF and click Yes, any data previously tracked in the UDF will be erased as well. Instead, it’s recommended that you hide or lock the UDF within Perspective, if you no longer wish to use it to track data.

8. To view the user defined field with its default form location, select the **Layout** tab. The **Top** and **Left** values indicate the number of pixels that the UDF will be located from the top left corner of the User Defined Fields section of the form. The User Defined Fields section always appears at the bottom of the form.



- Click and drag the UDF label to move the UDF to an alternative location on the form. The entire scrollable window beneath the Layout tab is representative of the User Defined Fields section of the form. Click **Save Layout** to save the chosen UDF location on the form.
- At any time, you may click **Default Layout** to return the UDF to its original assigned position on the form. To return the UDF to its last saved location, click **Previous Layout**.

Troubleshooting Tips

Event Viewer

When an error occurs in your Perspective session, first check Event Viewer to see if it has been recorded here.

1. Go into **Windows Event Viewer**.
2. Click the **Windows Logs** folder.
3. Click the **Application** sub-folder. Most errors that have occurred in Perspective will be logged here.

Perspective Server

Ensure Perspective Services are set up

1. Open IIS Manager, navigate to the Perspective Services Virtual Directory, and try to browse the **Service.asmx** file.
2. If the page that is displayed reads "Service", the install was successful.

If you get an error code page:

- a. Check the properties of the Perspective Services Directory and ensure it is running under Microsoft .NET 4.0 on the ASP.NET tab.
- b. Re-install Microsoft .NET 4.0 with ISS using the following command line:
`C:\WINDOWS\Microsoft.NET\Framework\v4.0.30319\aspnet_regiis.exe`

Connect to the database using ODBC

1. Select *Control Panel > Administrative Tools > Data Sources (ODBC)*, and open the **System DSN** tab.
2. Click **Add** to create a data source, select **SQL Server**. Click Finish.
3. Enter the name "Perspective" and select the name of your SQL Server.
4. If your Perspective database is using SQL authentication, select the SQL server authentication option and enter your SQL login credentials.

5. Click **Finish**, and then click **Test Data Source**.

Test the application pool

An application pool is used to connect to the database server. To test if there is an issue with the Web application pool, change the account to **Network Services** and see if it runs. If you are using Windows Authentication for your Perspective database, change the application pool to the same one used for your database. Reset the application pool, and then launch Perspective and try to login.

Restart IIS

Right-click your Computer icon and select **Manage**. Expand the **Services and Applications** folder and right-click **Internet Information Services (IIS)**. Select **All Tasks**, then restart IIS and click OK. Another way to restart IIS is to run the command line `iisreset` from the Start menu.

Database Server

Ensure that the database login account has been assigned DBO access rights

1. In Enterprise Manager, select *Security > Logins*.
2. Double-click the domain user account that the Perspective server uses to connect to the database (e.g., the test account "PerspectiveDBCon").
3. On the **Database Access** tab, select the Perspective database and ensure that **dbo** access is assigned.

Ensure that your database is in compatibility mode for a SQL version other than SQL 2000

In the Compatibility Settings in your SQL Database, ensure that your database is in compatibility mode for a SQL version **other than SQL 2000**. If it is not, follow the steps below:

1. Open the Microsoft SQL Management Studio and expand **Databases**.
2. Right-click on your Perspective Database and select **Properties**.
3. On the left-hand column, select **Options**.
4. In the Compatibility level field, select **SQL 2008**.

Reporting Services Server

For assistance and information on setting up **SQL Reporting Services**, view the deployment guide on Microsoft's Web site: [http://technet.microsoft.com/en-us/library/ms159868\(SQL.90\).aspx](http://technet.microsoft.com/en-us/library/ms159868(SQL.90).aspx)

Check the version of the Microsoft .NET Framework

If .NET Framework 3.5 is enabled on the machine, only client-side components of Reporting Services will be installed. If necessary, remove the .NET Framework 3.5 before installing Reporting Services, and re-install 3.5 afterwards using the following command line:

```
C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727\aspnet_regiis.exe
```

Specify path for .bat file

1. Using the Windows Start menu's Search function, search for the **rs.exe** file.
2. Place a copy of the rs.exe file in the *Perspective Install > Reports Setup* folder.

Perspective Client

Connect to the Web site

Open your Web browser and enter the following URL:

```
https://<servername>/PerspectiveServices/Service.aspx
```

Ensure SQL login account is configured properly

The SQL login account (e.g., the test account "PerspectiveDBCon") needs permissions.

Troubleshoot Windows authentication issues

1. Open up Perspective Service Manager, go to Database then Authentication – ensure Perspective is set to Windows Authentication.
2. In IIS, open the Default Web Site and your Perspective Services site.
3. Double-click the Authentication icon.
4. Ensure that:
 - Windows Authentication is Enabled.
 - Anonymous Authentication is Disabled.

5. Return to the previous screen and click Edit Permissions on the right side menu.
6. Open the Security tab, click Edit, and add appropriate Perspective Groups with View, Read, and Execute permissions.
7. Reset IIS once you have completed the steps to ensure the changes take place.
8. Test logging in with a User who is set up for Windows Authentication in Perspective.

Troubleshoot application download issues

If the client machine's operating system is **Windows Vista, Windows 7, Windows 8**, clear the contents of the following folder: `C:\Users\<username>\AppData\Local\Apps\2.0`.

Note: If you delete the contents of the folders, all Click-Once applications will be deleted.

1. Browse to the Perspective Services URL: `https://<servername>/PerspectiveServices`.
2. Click the **Launch Perspective** button to re-download the entire Perspective application.
3. In the dialog box that opens, click **Run**. The Perspective client will automatically launch.
4. Enter the Perspective Services URL (e.g., `https://<servername>/PerspectiveServices`), and click OK.

Proceed to log on. If the problem persists, please contact Resolver Technical Support at 1-877-776-2995 for assistance.

Error Messages

Error Message	Explanation
<i>No Connection.</i>	Perspective Client error
<p>Solution</p> <ul style="list-style-type: none"> • Launch the Perspective client from the Perspective server and attempt to logon. • Make sure the user account is a member of the IIS_WPG group on the Perspective server. 	
<i>Response is not well formed .XML.</i>	Perspective Client error
<p>Solution</p> <ul style="list-style-type: none"> • May be due to a missing bracket or other formatting issue in the Perspective_Default.config file. • May also be a permissions issue. See your local Security Policy. 	
<i>Connection to the service not found/SQL Exception/Login failed for user.</i>	Perspective Server error
<p>Solution</p> <p>Ensure the application pool account has access to the database. The account that the Perspective server is using to connect to the database must be specified as the Application Pool identity, and requires membership in the IIS_WPG.</p>	

Contact Information

Technical Support

Toll Free: 1-877-776-2995
Phone: (780) 448-0616
Email: support@resolver.com
Website: <https://support.resolver.com>

Resolver

Toll Free: 1-888-776-9776
Phone: (780) 448-0616
Fax: (780) 448-0618
Email: information@resolver.com
Website: <http://www.resolver.com>

Appendix A – Indexable Fields

Below is a complete list of the standard indexable fields that appear in Perspective and Service Manager. Once indexed, these fields become searchable using the Quick Find tool in Perspective.

*Note: Custom fields (also known as **UDFs** or **user defined fields**) can also be indexed so they become searchable and appear in Service Manager.*

Section	Sub-Section(s)	Field
Activities	Activities	Access Level
Activities	Activities	Activity Number
Activities	Activities	Activity Status
Activities	Activities	Address 1
Activities	Activities	Address 2
Activities	Activities	Call Source
Activities	Activities	Code
Activities	Activities	Contact Number
Activities	Activities	Description
Activities	Activities	Disposition
Activities	Activities	Notes
Activities	Activities	Officer Status
Activities	Activities	Organization Status
Activities	Activities	Postal Code
Activities	Activities	Priority
Activities	Assignments	Assignment Type
Activities	Assignments	Message/Task
Activities	Activity > Items	Category/Type
Activities	Activity > Items	Disposition
Activities	Activity > Items	Item Name
Activities	Activity > Items	Item Value
Activities	Activity > Items	Linked Item
Activities	Activity > Items	Make/Model
Activities	Activity > Items	Notes
Activities	Activity > Items	Organization Owned By
Activities	Activity > Items	Person Owned By
Activities	Activity > Items	Serial Number
Activities	Activity > Officer Responses	Call Sign
Activities	Activity > Officer Responses	Officer Name
Activities	Activity > Officer Responses	Officer Response Notes
Activities	Activity > Officer Responses	OfficerStatus
Activities	Activity > Organization Requests	Comments
Activities	Activity > Organization Requests	Contact First Name
Activities	Activity > Organization Request	Contact Last Name
Activities	Activity > Organization Requests	Contact Middle Initial

Section	Sub-Section(s)	Field
Activities	Activity > Organization Requests	Contact Person
Activities	Activity > Organization Requests	Contact Phone
Activities	Activity > Organization Requests	Involvement Type
Activities	Activity > Organization Requests	Notified Type
Activities	Activity > Organization Requests	Organization
Activities	Activity > Organization Requests	Organization Name
Activities	Activity > Organization Requests	Organization Number
Activities	Activity > Organization Requests	Reference Number
Activities	Activity > Organization Requests	Request Assigned To Person
Activities	Activity > Organization Requests	Request Notes
Activities	Activity > Organization Requests	Request Type
Activities	Activity > Organization Requests	Tracking Number
Activities	Activity > Organization Responses	Contact Last Name
Activities	Activity > Organization Responses	Contact Middle Initial
Activities	Activity > Organization Responses	Contact Person
Activities	Activity > Organization Responses	Contact Phone
Activities	Activity > Organization Responses	ContactFirstName
Activities	Activity > Organization Responses	Involvement Type
Activities	Activity > Organization Responses	Notified By Person
Activities	Activity > Organization Responses	Notified Type
Activities	Activity > Organization Responses	Organization
Activities	Activity > Organization Responses	Organization Name
Activities	Activity > Organization Responses	Organization Number
Activities	Activity > Organization Responses	Organization Response Notes
Activities	Activity > Organization Responses	Organization Type
Activities	Activity > Organization Responses	OrganizationStatus
Activities	Activity > Organization Responses	Reference Number
Activities	Activity > Organization Responses	Responding Person
Activities	Activity > Organizations	Comments
Activities	Activity > Organizations	Contact First Name
Activities	Activity > Organizations	Contact Last Name
Activities	Activity > Organizations	Contact Middle Initial
Activities	Activity > Organizations	Contact Person
Activities	Activity > Organizations	Contact Phone
Activities	Activity > Organizations	Involvement Type
Activities	Activity > Organizations	Linked Organization
Activities	Activity > Organizations	Notified By
Activities	Activity > Organizations	Organization Name
Activities	Activity > Organizations	Organization Number
Activities	Activity > Organizations	Organization Type
Activities	Activity > Organizations	Organization Webpage URL
Activities	Activity > Organizations	Reference Number
Activities	Activity > Person > Clothing	Clothing Type

Section	Sub-Section(s)	Field
Activities	Activity > Person > Clothing	Color
Activities	Activity > Person > Clothing	Description
Activities	Activity > Person Flags	Severity Level
Activities	Activity > Person > Injuries	Description
Activities	Activity > Person > Injuries	Injury Cause
Activities	Activity > Person > Injuries	Severity
Activities	Activity > Person	Designation(s)
Activities	Activity > Person	Employee Number
Activities	Activity > Person	Eye Color
Activities	Activity > Person	First Name
Activities	Activity > Person	Flag Notes
Activities	Activity > Person	Gender
Activities	Activity > Person	Hair Color
Activities	Activity > Person	Initial
Activities	Activity > Person	Injured
Activities	Activity > Person	Involvement Type
Activities	Activity > Person	Last Name
Activities	Activity > Person	Linked Person
Activities	Activity > Person	Marital Status
Activities	Activity > Person	Notes
Activities	Activity > Person	Title
Activities	Activity > Vehicles	Color
Activities	Activity > Vehicles	Comments
Activities	Activity > Vehicles	Disposition
Activities	Activity > Vehicles	Driver Identified
Activities	Activity > Vehicles	Involvement Type
Activities	Activity > Vehicles	License Plate
Activities	Activity > Vehicles	Linked Vehicle
Activities	Activity > Vehicles	Make/Model
Activities	Activity > Vehicles	Plate Registered In
Activities	Activity > Vehicles	Style
Activities	Activity > Vehicles	Vehicle Value
Activities	Activity > Vehicles	VIN
Activities	Activity > Vehicles	Year
Activities	Attachments	Attachment Title
Activities	Attachments	Attachment Type
Activities	Attachments	Description
Activities	Attachments	File Extension
Activities	Attachments	File Name
Activities	Call Category	Call Category Name
Activities	Call Category	Code
Activities	Call Category	Level 1
Activities	Call Category	Level 2

Section	Sub-Section(s)	Field
Activities	Call Category	Level 3
Activities	Call Category	Level 4
Activities	Involved Items	Item Category
Activities	Involved Items	Item Name
Activities	Involved Organizations	Organization Number
Activities	Involved Organizations	Organization Type
Activities	Involved Persons	Gender
Activities	Involved Vehicles	Incident Number
Activities	Involved Vehicles	Make/Model
Activities	Geo Rollups	City
Activities	Geo Rollups	Country
Activities	Geo Rollups	Geo Rollup Name
Activities	Geo Rollups	Geo Rollup Name
Activities	Geo Rollups	Level4
Activities	Geo Rollups	Rollup Level
Activities	Geo Rollups	State/Province
Activities	Link Activities	Link Type
Activities	Link Activities	Linked From Activity
Activities	Link Activities	Linked To Activity
Activities	Link Activities	Notes
Activities	Link Activity To Incident	Link Effective Date
Activities	Link Activity To Incident	Link Type
Activities	Link Activity To Incident	Linked From Activity
Activities	Link Activity To Incident	Linked To Incident
Activities	Link Activity To Incident	Notes
Activities	Site Rollups	Address 1
Activities	Site Rollups	Building
Activities	Site Rollups	Location
Activities	Site Rollups	Postal Code
Activities	Site Rollups	Rollup Level
Activities	Site Rollups	Site
Activities	Site Rollups	Site Name
Activities	Site Rollups	Site Notes
Activities	Site Rollups	Site Rollup Name
Activities	Site Rollups	Site Rollups
Activities	Site Rollups	Threshold
Cases	Case > Assignments	Assignment Type
Cases	Case > Assignments	AttachmentFrom
Cases	Case > Assignments	Message/Task
Cases	Investigations	Incident Number
Cases	Investigations	Initiated By
Cases	Case > Investigation > Evidence Log	Evidence Disposition
Cases	Case > Investigation > Evidence Log	Evidence Log Status

Section	Sub-Section(s)	Field
Cases	Case > Investigation > Evidence Log	Evidence Name
Cases	Case > Investigation > Evidence Log	Evidence Type
Cases	Case > Investigation > Evidence Log	Evidence/Property From
Cases	Case > Investigation > Evidence Log	Evidence/Property Tag
Cases	Case > Investigation > Evidence Log	Found/Seized Location
Cases	Case > Investigation > Evidence Log	Item Description
Cases	Case > Investigation > Evidence Log	Notes
Cases	Case > Investigation > Evidence Log	Organization Owned By
Cases	Case > Investigation > Evidence Log	Owner Name Person
Cases	Case > Investigation > Evidence Log	Person In Possession
Cases	Case > Investigation > Evidence Log	Secured/Storage Location
Cases	Case > Investigation > Evidence Log	Seized By Person
Cases	Case > Investigation > Evidence Log	Seized From Person
Cases	Evidence Log > Status	Comments
Cases	Evidence Log > Status	Evidence Disposition
Cases	Evidence Log > Status	Status
Cases	Evidence Log > Status	Storage Location
Cases	Evidence Log > Status	Evidence/Property Tag
Cases	Evidence Log > Status	Person In Possession
Cases	Evidence Log > Status	Status Changed By Person
Cases	CaseInvestigationInterviewHistory	ChangedByPersonDescription
Cases	CaseInvestigationInterviewHistory	Reason
Cases	Case > Investigation > Interviews	Attached Digital Interview
Cases	Case > Investigation > Interviews	Interview Conducted by
Cases	Case > Investigation > Interviews	Interview From
Cases	Case > Investigation > Interviews	Interview Type
Cases	Case > Investigation > Interviews	Location of Interview
Cases	Case > Investigation > Interviews	Plain Text
Cases	Case > Investigation > Interviews	Subject of Interview
Cases	Case > Investigation > Interviews	Subject's Involvement Type
Cases	Case > Investigation > Interviews	Witness
Cases	Case > Investigation > Interviews	Word File
Cases	Case > Investigation > Log	Expense Type
Cases	Case > Investigation > Log	Log Notes
Cases	Case > Investigation > Log	Logs From
Cases	Case > Investigation > Log	Logs From
Cases	Case > Investigation > Log	Task Done By Person
Cases	Case > Investigation > Log	Task Type
Cases	Case > Investigation > Summaries	Author Person
Cases	Case > Investigation > Summaries	Plain Text
Cases	Case > Investigation > Summaries	Summary From
Cases	Case > Investigation > Summaries	Summary Type
Cases	Case > Investigation > Summaries	Word File

Section	Sub-Section(s)	Field
Cases	CaseInvestigationSummaryHistory	ChangedByPersonDescription
Cases	CaseInvestigationSummaryHistory	Reason
Cases	Case > Investigators	Comments
Cases	Case > Investigators	Investigator
Cases	Case > Investigators	Investigator Type
Cases	CaseNarrativeHistory	Reason
Cases	Narratives	Word File
Cases	Case > Reviews	Comments
Cases	Case > Reviews	Review Type
Cases	Cases	Access Level
Cases	Cases	Case Category
Cases	Cases	Case Description
Cases	Cases	Case Name
Cases	Cases	Case Number
Cases	Cases	Disposition
Cases	Cases	Org Rollup
Cases	Cases	Status
Cases	Case > Visibility	All Workgroups
Cases	Case > Visibility	Owner Workgroup
Cases	Class Rollups	Category
Cases	Class Rollups	Class
Cases	Class Rollups	Class Code
Cases	Class Rollups	Class Name
Cases	Class Rollups	Consequence
Cases	Class Rollups	Rollup Level
Cases	Class Rollups	Subcategory
Cases	Class Rollups	Type
Cases	Class Rollups	Class Rollup Name
Cases	Evidence Log > Status	Evidence Status
Cases	Evidence Log > Status	Person In Possession
Cases	Investigation > Interviews	Attached Digital Interview
Cases	Investigation > Interviews	Interview Conducted by
Cases	Investigation > Interviews	Interview Type
Cases	Investigation > Interviews	Plain Text
Incidents	Business Unit Rollups	Business Unit Name
Incidents	Business Unit Rollups	Business Unit Rollup Name
Incidents	Business Unit Rollups	Level 1
Incidents	Business Unit Rollups	Level 2
Incidents	Business Unit Rollups	Level 3
Incidents	Business Unit Rollups	Level 4
Incidents	Business Unit Rollups	Rollup Level
Incidents	Involved Items	Disposition
Incidents	Involved Items	Incident Number

Section	Sub-Section(s)	Field
Incidents	Involved Items	Loss Type
Incidents	Involved Organizations	Incident Number
Incidents	Involved Organizations	Involvement Type
Incidents	Involved Organizations	Notified By
Incidents	Involved Organizations	Organization Name
Incidents	Involved Persons	First Name
Incidents	Involved Persons	Incident Number
Incidents	Involved Persons	Involvement Type
Incidents	Involved Persons	Last Name
Incidents	Involved Vehicles	License Plate
Incidents	Involved Vehicles	Vehicle Involvement Type
Incidents	Involved Vehicles	Vehicle Year
Incidents	Narratives	Author
Incidents	Narratives	Narrative From
Incidents	Narratives	Narrative Type
Incidents	Narratives	Plain Text
Incidents	Incident > Assignments	Assigned By Person
Incidents	Incident > Assignments	Assigned To Person
Incidents	Incident > Assignments	Assignment Type
Incidents	Incident > Assignments	Message/Task
Incidents	Incident > Investigation > Evidence Log	Disposition
Incidents	Incident > Investigation > Evidence Log	Evidence Status
Incidents	Incident > Investigation > Evidence Log	Evidence/Property Name
Incidents	Incident > Investigation > Evidence Log	Evidence/Property Tag
Incidents	Incident > Investigation > Evidence Log	Evidence/Property Type
Incidents	Incident > Investigation > Evidence Log	Incident ID
Incidents	Incident > Investigation > Evidence Log	Notes
Incidents	Incident > Investigation > Evidence Log	Owner Name Organization
Incidents	Incident > Investigation > Evidence Log	Owner Name Person
Incidents	Incident > Investigation > Evidence Log	Person In Possession
Incidents	Incident > Investigation > Evidence Log	Secured/Storage Location
Incidents	Incident > Investigation > Evidence Log	Seized By Person
Incidents	Incident > Investigation > Evidence Log	Seized From Person
Incidents	Evidence Log > Status	Disposition
Incidents	Evidence Log > Status	Evidence/Property Tag
Incidents	Evidence Log > Status	Reason for Status Change
Incidents	Evidence Log > Status	Status Changed By Person
Incidents	Evidence Log > Status	Storage Location
Incidents	IncidentInvestigationInterviewHistory	ChangedByPersonDescription
Incidents	IncidentInvestigationInterviewHistory	Reason
Incidents	Investigation > Interviews	Incident ID
Incidents	Investigation > Interviews	Location of Interview
Incidents	Investigation > Interviews	Subject of Interview

Section	Sub-Section(s)	Field
Incidents	Investigation > Interviews	Subject's Involvement Type
Incidents	Investigation > Interviews	Witness
Incidents	Investigation > Interviews	Word File
Incidents	Incident > Investigation > Log	Expense Type
Incidents	Incident > Investigation > Log	Incident ID
Incidents	Incident > Investigation > Log	Log Notes
Incidents	Incident > Investigation > Log	Task Done By Person
Incidents	Incident > Investigation > Log	Task Type
Incidents	Incident > Investigation > Summaries	Word File
Incidents	Incident > Investigation > Summaries	Author
Incidents	Incident > Investigation > Summaries	Incident
Incidents	Incident > Investigation > Summaries	Plain Text
Incidents	Incident > Investigation > Summaries	Summary Type
Incidents	IncidentInvestigationSummaryHistory	ChangedByPersonDescription
Incidents	IncidentInvestigationSummaryHistory	Reason
Incidents	Incident > Investigators	Comments
Incidents	Incident > Investigators	Incident ID
Incidents	Incident > Investigators	Investigator
Incidents	Incident > Investigators	Investigator Type
Incidents	Incident > Items	Category/Type
Incidents	Incident > Items	Disposition
Incidents	Incident > Items	Item Name
Incidents	Incident > Items	Item Value
Incidents	Incident > Items	Linked Item
Incidents	Incident > Items	Make/Model
Incidents	Incident > Items	Notes
Incidents	Incident > Items	Organization Owned By
Incidents	Incident > Items	Person Owned By
Incidents	Incident > Items	Serial Number
Incidents	IncidentNarrativeHistory	PersonDescription
Incidents	IncidentNarrativeHistory	Reason
Incidents	Incident > Narratives	Author
Incidents	Incident > Narratives	IncidentNumber
Incidents	Incident > Narratives	Narrative
Incidents	Incident > Narratives	Narrative Type
Incidents	Incident > Narratives	Plain Text
Incidents	Incident > Organization > Requests	Request Assigned To Person
Incidents	Incident > Organization > Requests	Notes
Incidents	Incident > Organization > Requests	Tracking Number
Incidents	Incident > Organization > Requests	Request Type
Incidents	Incident > Organization > Responses	Notified By Person
Incidents	Incident > Organization > Responses	Responding Person
Incidents	Incident > Organization > Responses	Response Notes

Section	Sub-Section(s)	Field
Incidents	Incident > Organizations	Comments
Incidents	Incident > Organizations	Contact First Name
Incidents	Incident > Organizations	Contact Last Name
Incidents	Incident > Organizations	Contact Middle Initial
Incidents	Incident > Organizations	Contact Person
Incidents	Incident > Organizations	Contact Phone
Incidents	Incident > Organizations	Involvement Type
Incidents	Incident > Organizations	Linked Organization
Incidents	Incident > Organizations	Notified By
Incidents	Incident > Organizations	Organization Name
Incidents	Incident > Organizations	Organization Number
Incidents	Incident > Organizations	Organization Type
Incidents	Incident > Organizations	Organization Webpage URL
Incidents	Incident > Organizations	Reference Number
Incidents	Incident > Owner > History	Comments
Incidents	Incident > Owner > History	Owner Person
Incidents	Incident > Owner > History	Owner Added Date
Incidents	Incident > Person > Clothing	Clothing Type
Incidents	Incident > Person > Clothing	Color
Incidents	Incident > Person > Clothing	Description
Incidents	Incident > Person > Flags	Severity Level
Incidents	Incident > Person > Injuries	Description
Incidents	Incident > Person > Injuries	Injury Cause
Incidents	Incident > Person > Injuries	Severity
Incidents	Incident > Persons	Designation(s)
Incidents	Incident > Persons	Employee Number
Incidents	Incident > Persons	Eye Color
Incidents	Incident > Persons	First Name
Incidents	Incident > Persons	Flag Notes
Incidents	Incident > Persons	Gender
Incidents	Incident > Persons	Hair Color
Incidents	Incident > Persons	Initial
Incidents	Incident > Persons	Involvement Type
Incidents	Incident > Persons	Last Name
Incidents	Incident > Persons	Linked Person
Incidents	Incident > Persons	Marital Status
Incidents	Incident > Persons	Notes
Incidents	Incident > Persons	Reviewed By Person
Incidents	Incident > Persons	Title
Incidents	Incident > Reviews	Comments
Incidents	Incident > Reviews	Reviewed By Person
Incidents	Incident > Reviews	Review Type
Incidents	Incidents	Access Level

Section	Sub-Section(s)	Field
Incidents	Incidents	AttachmentCount
Incidents	Incidents	Corrective Action Summary
Incidents	Incidents	Disposition
Incidents	Incidents	Division Reported To
Incidents	Incidents	e-Incident Number
Incidents	Incidents	File Number
Incidents	Incidents	Flag Notes
Incidents	Incidents	Follow-up Required
Incidents	Incidents	Incident Duration
Incidents	Incidents	Incident Number
Incidents	Incidents	Investigation Comments
Incidents	Incidents	Investigation Duration
Incidents	Incidents	Police File Number
Incidents	Incidents	Policy Affected
Incidents	Incidents	Policy Name:
Incidents	Incidents	Primary Cause
Incidents	Incidents	Reported to Division
Incidents	Incidents	Reported to Police
Incidents	Incidents	Reported to Supervisor
Incidents	Incidents	Secondary Cause
Incidents	Incidents	Status
Incidents	Incidents	Summary
Incidents	Incident > Vehicles	Color
Incidents	Incident > Vehicles	Comments
Incidents	Incident > Vehicles	Disposition
Incidents	Incident > Vehicles	Driver Identified
Incidents	Incident > Vehicles	Incident ID
Incidents	Incident > Vehicles	Involvement Type
Incidents	Incident > Vehicles	License Plate
Incidents	Incident > Vehicles	Linked Vehicle
Incidents	Incident > Vehicles	Make/Model
Incidents	Incident > Vehicles	Plate Registered In
Incidents	Incident > Vehicles	Style
Incidents	Incident > Vehicles	Vehicle Driver
Incidents	Incident > Vehicles	VIN
Incidents	Incident > Vehicles	Year
Incidents	Link > Incidents	Link Type
Incidents	Link > Incidents	Linked From Incident
Incidents	Link > Incidents	Linked To Incident
Incidents	Link > Incidents	Notes
Incidents	Link Incident To Case	Case Number
Incidents	Link Incident To Case	Link Incident To Case
Incidents	Link Incident To Case	Link Type

Section	Sub-Section(s)	Field
Incidents	Link Incident To Case	Notes
Incidents	Link Incident To Case > Detail	Building
Incidents	Link Incident To Case > Detail	Category
Incidents	Link Incident To Case > Detail	Class
Incidents	Link Incident To Case > Detail	Incident Status
Incidents	Link Incident To Case > Detail	Link Incident To Case
Incidents	Link Incident To Case > Detail	Link Type
Incidents	Link Incident To Case > Detail	Site
Incidents	Link Incident To Case > Detail	Summary
Incidents	Link Incident To Incident > Detail	Building
Incidents	Link Incident To Incident > Detail	Category
Incidents	Link Incident To Incident > Detail	Class
Incidents	Link Incident To Incident > Detail	Incident Status
Incidents	Link Incident To Incident > Detail	Link Incident Number
Incidents	Link Incident To Incident > Detail	Site
Incidents	Link Incident To Incident > Detail	Summary
Incidents	Site Rollups	Address 2
Incidents	Site Rollups	Section
Items	Item > Class Rollups	Item Category
Items	Item > Class Rollups	Item Class Name
Items	Item > Class Rollups	Item Class Rollup Name
Items	Item > Class Rollups	Item Type
Items	Item > Class Rollups	Level3
Items	Item > Class Rollups	Level4
Items	Item > Class Rollups	Rollup Level
Items	Item Make Model Rollups	Item Make
Items	Item Make Model Rollups	Item Make Model Name
Items	Item Make Model Rollups	Item Make Model Rollup Name
Items	Item Make Model Rollups	Item Model
Items	Item Make Model Rollups	Level3
Items	Item Make Model Rollups	Level4
Items	Item Make Model Rollups	Rollup Level
Items	Items	Access Level
Items	Items	Item Class Rollup
Items	Items	Item Make Model Rollup
Items	Items	Item Name
Items	Items	Notes
Items	Items	Owner Identified
Items	Items	Owner Name Organization
Items	Items	Owner Name Person
Items	Items	Serial Number
Organizations	Link Persons	Linked To Person

Section	Sub-Section(s)	Field
Organizations	Link Persons	Link Type
Organizations	Link Person To Organization	Link Type
Organizations	Link Person To Organization	Notes
Organizations	Link Person To Organization	Organization
Organizations	Link Person To Organization	Person
Organizations	Link Vehicles	Notes
Organizations	Organization > Addresses	Address 1
Organizations	Organization > Addresses	Address 2
Organizations	Organization > Addresses	Geographic Rollup
Organizations	Organization > Addresses	Organization ID
Organizations	Organization > Addresses	Type
Organizations	Organization > Addresses	Zip/Postal Code
Organizations	Organization > Email Addresses	Email Address
Organizations	Organization > Email Addresses	Organization ID
Organizations	Organization > Email Addresses	Type
Organizations	Organization > Phone Numbers	Organization ID
Organizations	Organization > Phone Numbers	Phone Number
Organizations	Organization > Phone Numbers	Type
Organizations	Organizations	Access Level
Organizations	Organizations	Notes
Organizations	Organizations	Organization Name
Organizations	Organizations	Organization Number
Organizations	Organizations	Organization Type
Organizations	Organizations	Organization Webpage URL
Organizations	Organizational Rollups	Org Level 1
Organizations	Organizational Rollups	Org Level 2
Organizations	Organizational Rollups	Org Level 3
Organizations	Organizational Rollups	Org Level 4
Organizations	Organizational Rollups	Org Rollup Name
Persons	Link Organizations	Link Type
Persons	Link Organizations	Linked From Organization
Persons	Link Organizations	Linked To Organization
Persons	Link Vehicles	Link Type
Persons	Link Vehicles	Linked From Vehicle
Persons	Link Vehicles	Linked To Vehicle
Persons	Person > Addresses	Address 1
Persons	Person > Addresses	Address 2
Persons	Person > Addresses	Address Type
Persons	Person > Addresses	Geographic Rollup
Persons	Person > Addresses	Zip/Postal Code
Persons	Person > Email Addresses	Email Address
Persons	Person > Email Addresses	Email Type
Persons	Unique Features	Description

Section	Sub-Section(s)	Field
Persons	Unique Features	Feature Type
Persons	Unique Features	Location
Persons	Person > Flag List	Flag Description
Persons	Person > Flag List	Letter Code
Persons	Person > Flags	Severity
Persons	Identification	Comments
Persons	Identification	Identification Number
Persons	Identification	Identification Type
Persons	Identification	Issued By
Persons	Person > Phone Number	Phone Number
Persons	Person > Phone Number	Phone Type
Persons	Persons	Access Level
Persons	Persons	Additional Information
Persons	Persons	Designation
Persons	Persons	Employee
Persons	Persons	Employee Number
Persons	Persons	Eye Color
Persons	Persons	First Name
Persons	Persons	Flag Notes
Persons	Persons	Gender
Persons	Persons	Hair Color
Persons	Persons	Initial
Persons	Persons	Last Name
Persons	Persons	Title
Persons	Person > Trespasses	Comments
Persons	Person > Trespasses	Site Rollup
Vehicles	Link > Organizations	Notes
Vehicles	Link Organization To Vehicle	Link Type
Vehicles	Link Organization To Vehicle	Notes
Vehicles	Link Organization To Vehicle	Organization
Vehicles	Link Organization To Vehicle	Vehicle
Vehicles	Link Persons	Linked From Person
Vehicles	Link Persons	Notes
Vehicles	Link Person To Vehicle	Link Type
Vehicles	Link Person To Vehicle	Notes
Vehicles	Link Person To Vehicle	Person
Vehicles	Link Person To Vehicle	Vehicle
Vehicles	Vehicle > Make Model Rollups	Make
Vehicles	Vehicle > Make Model Rollups	Model
Vehicles	Vehicle > Make Model Rollups	Rollup Level
Vehicles	Vehicle > Make Model Rollups	Rollup Name
Vehicles	Vehicle > Make Model Rollups	Vehicle Make Model Name
Vehicles	Vehicle > Make Model Rollups	Vehicle Make Model Rollups

Section	Sub-Section(s)	Field
Vehicles	Vehicles	Access Level
Vehicles	Vehicles	Branch
Vehicles	Vehicles	Color
Vehicles	Vehicles	Comments
Vehicles	Vehicles	Company Vehicle
Vehicles	Vehicles	Division
Vehicles	Vehicles	Geographic Rollup
Vehicles	Vehicles	License Plate
Vehicles	Vehicles	Photo
Vehicles	Vehicles	Style
Vehicles	Vehicles	Vehicle Make/Model
Vehicles	Vehicles	Vehicle Value
Vehicles	Vehicles	VIN
Vehicles	Vehicles	Year